

Slide 1

Commercial HVAC 101


Typical System Components & Cleaning Techniques

Copyright © 2013 NADCA. All Rights Reserved.
No part of this publication may be reproduced or distributed by any means, electronic or mechanical, including photocopying, recording, or any other information storage and retrieval system, without prior written consent from the publisher.

Slide 2

TECHNICAL NADCA CONFERENCE

Presenter



Robert Rizen

Robert Rizen is VP of GC Industrial. He has been involved with air conveyance cleaning since 1989 as well as full-service restoration operations.

NADCA - ASCS, CVI, VMT
IICRC: ASD, MRS, OCT, CCT, FST, WRT

Email: Robert.rizen@gmail.com
Cell: 314-393-1444
<https://www.linkedin.com/in/robertizen>

Slide 3


TECHNICAL NADCA CONFERENCE

Disclaimer

This presentation is not intended to be a comprehensive program covering all aspects of this topic. All technicians are encouraged to read and follow all applicable standards, codes and regulations related to this topic.

- ✓ It is the responsibility of each individual contractor to follow local building codes and licensing requirements and to work safely in accordance with OSHA guidelines.
- ✓ It is the contractor's responsibility to take proper precautions on each project to prevent cross contamination. Always take the health and safety of the building occupants into consideration before you conduct any cleaning procedures.
- ✓ All of the following tips are only general tips. They do not cover every situation, and it is your responsibility to adapt these tips to the individual system you are working on.
- ✓ The Instructor is not responsible in any way for the work you perform after viewing this slide show. You are responsible for your own work.
- ✓ The views and opinions following are the instructor's opinions and not necessarily the official position of the National Air Duct Cleaners Association.


Slide 4

 Commercial HVAC 101


Supplemental Materials

This session covers key points but not every detail. The tips & techniques presented are for cleaning & restoration procedures. For a full understanding of this topic, attendees are encouraged to review additional materials including:

ACR, The NADCA Standard 2021 Edition




Slide 5

 What We'll Learn

- Types of HVAC Systems
- Typical Components
- Tips for Cleaning These Systems
- Cleaning Requirements

Slide 6

 Commercial HVAC 101

Section 1: Types of Systems

Typical commercial system types:

- Variable Air Volume
- Constant Volume
- Dual Duct
- Single Zone
- Multiple Zone

Slide 7

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 1: Types of Systems

Key Terms

Variable Air Volume (VAV) System:
Maintains thermal comfort by **varying the amount of heated or cooled air** delivered to each space.

Slide 8

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 1: Types of Systems - VAV

Pre-heating coil
Variable Speed Supply Fan
Cooling coil
Filter
Variable Speed Return Fan
Pressure gauge
Sensor
Terminal Unit
Damper

Slide 9

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 1: Types of Systems - VAV

Variable Air Volume - Control Boxes

Dampers are the main component to be concerned with during cleaning.

Slide 10


TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 1: Types of Systems - VAV

Variable Air Volume Systems

- Spiral duct from AHU to VAV.
- Accessibility to clean VAV.
- Use slot diffusers or troffers which creates a higher level of difficulty for cleaning or coating.
- Some have reheat coils attached.




Slide 11

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 1: Types of Systems – Fan Coil

Variable Air Volume Systems



Slide 12

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 1: Types of Systems

Key Terms

Constant Volume System:
Delivers **constant airflow** to each space.
Changes in temperature are made by heating or cooling the air or switching the AHU on and off.

Slide 13

TECHNICAL
NADCA
CONFERENCE

Commercial
HVAC 101

Section 1: Types of Systems - CV

Constant Volume Systems


- Changes in space temperatures are made by heating or cooling the air or switching the air handling unit on and off.
- Often operate with a fixed minimum percentage of outdoor air.
- CAV systems are less energy-efficient than variable air volume (VAV) systems.

Slide 14

TECHNICAL
NADCA
CONFERENCE

Commercial
HVAC 101

Section 1: Types of Systems - CAV



Constant Volume System www.MEPAo

Slide 15

TECHNICAL
NADCA
CONFERENCE


Commercial
HVAC 101

Section 1: Types of Systems

Key Terms

Dual Duct:

A fan discharges air which is directed through the cooling coil and/or the heating coil. There are **two separate ducts that feed hot and cold air** to the same space.




Slide 19

TECHNICAL CONFERENCE
NADCA

Commercial HVAC 101

Section 1: Types of Systems – Single Zone

Supplies air at a constant temperature to one complete zone, or area, of a building or to the entire structure all at once. **(Has one thermostat)**




Slide 20

TECHNICAL CONFERENCE
NADCA

Commercial HVAC 101

Section 1: Types of Systems – Multi Zone

Has **more than one thermostat** and is characterized primarily by two or more supply ducts emanating from the HVAC unit.



Slide 21

TECHNICAL CONFERENCE
NADCA

Commercial HVAC 101

Section 1: Types of Systems – Multi Zone




Slide 28

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 2: HVAC Cleaning & Restoration Methods

Cleaning Methods: Vacuum Collection



Must Be HEPA Filtered if Exhausting Inside!

Slide 29

TECHNICAL
NADCA
CONFERENCE


Commercial HVAC 101

Section 2: HVAC Cleaning & Restoration Methods

Cleaning Methods: Vacuum Collection

A vacuum collection device alone will not get an HVAC system clean.

Methods and tools designed to agitate debris adhered to surfaces along with use of vacuum collection device(s), is required.




Slide 30

TECHNICAL
NADCA
CONFERENCE


Commercial HVAC 101

Section 2: HVAC Cleaning & Restoration Methods

Cleaning Methods: Brushing



Slide 34




 TECHNICAL
NADCA
CONFERENCE

Commercial
HVAC 101

Section 2: HVAC Cleaning & Restoration Methods


Cleaning Methods: Hand Washing

This procedure is just what its name implies—washing components by hand. Involves hand tools such as brushes, sponges or damp cloths to wipe clean a designated area.



Liquids cannot be applied to porous components such as fibrous glass. Make sure that no chemical residues are left in the system during hand washing.

Slide 35

 TECHNICAL
NADCA
CONFERENCE


Commercial
HVAC 101

Section 2: HVAC Cleaning & Restoration Methods

Cleaning Methods: Power Washing

Power Washing


Power washing involves the use of mechanical equipment able to spray a jet of water onto a specific area.



Components frequently cleaned by power washing:

- Cooling and reheat coils
- Blower wheels, fans and their housings
- Evaporator and condensing coils
- Condensate drain pan
- Some types of filters
- Grilles, registers, and diffusers


Slide 36

 TECHNICAL
NADCA
CONFERENCE

Commercial
HVAC 101

Section 2: HVAC Cleaning & Restoration Methods

Why clean in this order?



Return Air Intake AHU Supply Duct

Reduces likelihood of cleaned portions becoming re-contaminated.

Slide 37

Commercial HVAC 101

Q&A
You have Questions
We have Answers

Slide 38

TECHNICAL CONFERENCE
NADCA
Commercial HVAC 101

Section 3: Component Cleaning

FIGURE B-1: Typical HVAC System Components

The diagram shows a cross-section of a building with an HVAC system. Outdoor air enters through an intake on the left, passes through a filter, and is then mixed with return air from the building. The mixture goes through a heating coil, a humidifier, and a cooling coil before being distributed to the rooms. Return air is collected from the rooms and passes through a filter and a return air grille. Labels include: Outdoor Air Intake, Outdoor Air Filter, Humidifier, Heating Coil, Cooling Coil and Drip Pan, Air Handling Unit, Return Air Grille, Return Air Duct, Mixing Chamber, and Outdoor Air Damper.

Slide 39

TECHNICAL CONFERENCE
NADCA
Commercial HVAC 101

Section 3: Component Cleaning

The slide contains four photographs illustrating HVAC components and cleaning. Top left: A blue flexible duct. Top right: A dirty, browned air filter. Bottom left: A heating coil with a red electrical control box. Bottom right: A white return air grille.

Slide 40

TECHNICAL NADCA CONFERENCE


Commercial HVAC 101

Section 3: Component Cleaning

Air Handling Unit (AHU)

Air handling units, terminal units (VAV, Dual duct boxes, etc.), blowers and exhaust fans:
Ensure that supply, return, and exhaust fans and blowers are thoroughly cleaned. Areas to be cleaned include:

- ✓ Fan & Fan Housings
- ✓ Fan compartments
- ✓ Plenums (except ceiling supply and return plenums)
- ✓ Coil sets
- ✓ Blades or Vanes
- ✓ Shafts
- ✓ Baffles
- ✓ Dampers
- ✓ Drive assemblies




Slide 41

TECHNICAL NADCA CONFERENCE


Commercial HVAC 101

Section 3: Component Cleaning

AHU Types



Small RTU



Built in place AHU


Slide 42

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

AHU Types



Slide 46

TECHNICAL
NADCA
CONFERENCE


Commercial HVAC 101

Section 3: Component Cleaning

Fan Types

Forward Curved fans transfer large volumes of air for a minimum wheel diameter. They're used when space requirements are a primary consideration.

- Blades commonly lose **balance clips**.
- Are by far the **most common** and are in **most residential units**



Slide 47


TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Fan Types

Backward Inclined Flat fan has some of the characteristics of the airfoil fan. Has relatively high efficiency.



A backward inclined fan has a non-overloading characteristic.

The horsepower required by the fan actually decreases when the flow rate increases past a certain point.

Slide 48

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Fan Types

Axial fans are suitable for large quantities of air at low pressures.

- Found in return air ducts.

When compared with centrifugal fans, the axial fans are the easiest to clean but can easily become unbalanced while cleaning.




Slide 49

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Fan Types – Fan Wall




Slide 50

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Fan Cleaning



Sometimes the only way to clean is to go inside!

Slide 51



TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Coils

- ✓ Reheat coils – Evaporator coils – Condensing coils
- ✓ Heating and cooling coils are placed in the airstream to regulate the temperature of the air delivered to the space
- ✓ In general, the copper rows determine the coil depth for cleaning
- ✓ Not all coils are cleanable
- ✓ When cleaning electrical resistance coils in a duct system, it's important to make sure the power source is de-energized!



Slide 52


TECHNICAL CONFERENCE
NADCA
Commercial HVAC 101

Section 3: Component Cleaning

Coils

All portions of each coil assembly must be cleaned.

- Both upstream and downstream sides of each coil section shall be accessed for cleaning.
- When both sides of a coil are not accessible for cleaning then removal and/or replacement may be required.
- Visual inspection of the coil and drain pan will determine whether Type 1 or Type 2 cleaning is required.




Slide 53

TECHNICAL CONFERENCE
NADCA
Commercial HVAC 101


Section 3: Component Cleaning

Coils

The substances impacted on the evaporator coil help determine the initial cleaning protocol. Evaporator coil cleaning is broken into two (2) categories known as **Types**. Evaporator coil reconditioning will utilize **Type-1** or **Type-2** cleaning methods.



```
graph TD; A[Coils] --> B[Type 1 (Dry Cleaning)]; A --> C[Type 2 (Wet Cleaning)];
```




Slide 54

TECHNICAL CONFERENCE
NADCA
Commercial HVAC 101

Section 3: Component Cleaning

Inline Coils



Reheat coil

Airflow

Airflow Sensor

Controller

Thermostat

Install Service Openings

Slide 55


TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning
Reheat Coils

Reheat Coils:

- ✓ Need access on both sides
- ✓ No condensate drain
- ✓ Need to set up water control



Slide 56

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning
AHU Located Heat & Cooling Coils




Slide 57

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning
Coils - Mist/Cary Over Eliminators



Slide 58

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Drain Lines & Pans

The condensate drain pan and drain line shall be cleaned and flushed. The condensate drain pan shall be inspected to verify proper drainage operation before and after cleaning.



Usually a drain pan and line have the highest amounts of contamination when compared to all other system components.


Slide 59

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

VAV/Mixing Box



Install Service Opening

Slide 60

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

VAV/Mixing Box



Slide 61

TECHNICAL
NADCA
CONFERENCE

Have's a Tip...

Section 3: Component Cleaning

VAV/Mixing Box

- ✓ Electric Coil – be sure to disconnect power & follow Lock Out/Tag Out
- ✓ Pay attention to fiberglass insulation inside of component




Commercial HVAC 101

Slide 62

TECHNICAL
NADCA
CONFERENCE

Section 3: Component Cleaning

VAV/Mixing Box



Install Service Openings

Commercial HVAC 101

Slide 63


TECHNICAL
NADCA
CONFERENCE

Section 3: Component Cleaning

Sound Attenuators

Designed to reduce noise in the ducts.

A water pressure washer should not be used for cleaning a perforated sound attenuator and the internal components of perforated sound attenuators are not cleanable.



Commercial HVAC 101


Slide 64

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Turning Vanes



- ✓ Primary function is to reduce static pressure loss in a duct system
- ✓ Require multiple access points and care in cleaning
- ✓ Fiberglass vanes can be very fragile
- ✓ Rarely found in high pressure systems

Slide 65


TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Turning Vanes

Service Openings



When cleaning a 90-degree turn in a commercial HVAC system, it is recommended to put two (2) access points per turn when turning vanes are present.


Slide 66

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Sensors



Slide 67

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning
Vents, Grills, Registers & Diffusers

Air distribution devices (registers, grilles & diffusers):

- Remove, if possible, for proper cleaning
- Make sure they are restored to their previous position.




Slide 68

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning
Slot Diffusers



- Not easily removed
- Rubber bladder
- Air wash

Most of these are connected to the ceiling or ceiling grid.

Here's a Tip...
Always check the inside of these for damaged or friable insulation.

Slide 69

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning
Sheet Metal Ducts With Interior Insulation

- Microbial issues
- Reasons for insulation in duct
- Coatings



Here's a Tip...
If you can't properly clean it, you can't coat it!

Slide 70

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Duct Board

- Microbial issues
- Reasons for using this type
- Coatings



Here's a Tip... If you can't properly clean it, you can't coat it!

Be sure to use mechanical cleaning methods that will not create abrasions, breaks, or tears to fibrous glass liner or duct board surfaces!

Slide 71

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Externally Insulated Duct

- Reasons for insulation
- Thermal value only
- Carefully create access
- Reinstall insulation after access openings are made.



Slide 72

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning

Fiberglass and Insulated Duct Work

- Thoroughly clean with HEPA, vacuuming equipment, while system is under constant negative pressure
- Do not get fibrous glass components wet
- Do not cause damage to fibrous glass components


Slide 73

TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 3: Component Cleaning
Fiberglass and Insulated Duct Work

Here's a Tip...
When physically entering lined ductwork, caution must be taken not to damage the lining.



Slide 74

Component Cleaning

Q&A
You have Questions
We have Answers

Slide 75


TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

Section 4: Standards

HVAC System Cleaning Requirements

- Visibly Clean
- Source Removal
- Negative Duct Pressurization
- Service Openings
- Containment



Slide 76


TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 4: Standards

Selecting the HVAC cleaning method to be employed on any given project is an important factor for successful cleaning.

- Vacuum Collection
- Brushing
- Air Washing
- Hand or Contact Vacuuming
- Hand Washing
- Power Washing



Slide 77

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 4: Standards

Visibly Clean Standard

Key Terms

Visibly Clean:
An interior surface is considered visibly clean when it is free from "non-adhered" substances and debris.

Definition: What does non-adhered mean?
Any material not intended or designed to be present in an HVAC system, and which can be removed by contact vacuuming.



Slide 78

TECHNICAL NADCA CONFERENCE

Commercial HVAC 101

Section 4: Standards

Source Removal

Key Terms

Source Removal
The mechanical cleaning of system components to remove dirt and debris.

Requires two key elements to be effective:

1. **Agitation** of dust and debris within the HVAC system.
2. **Extraction** of contaminants from the HVAC system

Slide 82

 TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

**Section 4:
Cleaning Requirements & Standards**


Service Openings

Service Panels

- Shall be of an equivalent gauge or heavier
- Shall be mechanically fastened (screwed or riveted) at minimum every 4" on center.
- Shall overlap the ductwork surfaces by a minimum of 1" on all sides.
- Recommended to be sealed with gaskets, duct sealants, mastic or tape.




Slide 83

 TECHNICAL
NADCA
CONFERENCE


Commercial HVAC 101

**Section 4:
Cleaning Requirements & Standards**

Containment




Slide 84

 TECHNICAL
NADCA
CONFERENCE

Commercial HVAC 101

**Section 4:
Cleaning Requirements & Standards**

Containment



Slide 85

TECHNICAL
NADCA
CONFERENCE

Commercial
HVAC 101

Section 4:
Cleaning Requirements & Standards

Containment




Slide 86

TECHNICAL
NADCA
CONFERENCE

Commercial
HVAC 101

Section 4:
Cleaning Requirements & Standards

Containment




Slide 87

Commercial
HVAC 101

Q&A

*You have
Questions
We have
Answers*

Slide 88



TECHNICAL
NADCA
CONFERENCE

Commercial
HVAC 101

Presenter Contact Information

- Robert Rizen
- Robert.rizen@gmail.com
- 314-393-1444

Slide 89



Thank you
for
Participating!

TECHNICAL
NADCA
CONFERENCE
